


**AVTRON MODEL K841B
OUTDOOR REACTIVE LOAD BANK
OUTLINE DRAWING SET**



- 5 - OUTBOARD POCKETS ARE FOR HOISTING LOADBANK SPREADER BAR REQUIRED.
 - 4 - MIN. 2FT CLEARANCE BETWEEN ENCLOSURE AND ANY OBSTRUCTION.
 - 3 - CAPACITY:
 2. ALL DIMENSIONS ARE APPROX.
 1. WEIGHT:
- NOTES:

7777	B	REVISED PER ECH	JANU	ENTRY
7777	A	REVISED PER ECH	JANU	ENTRY
ECI	REV	CHANGE	CHG	CHG
NO	LT			

FOR APPLICATION ENGINEERING USAGE ONLY

DRAWN: C. JAMTOL 1-8-92

CHECKED: [Signature]

APPROVED: J. EMERY

SCALE: NONE

LOAD BANK REACTIVE

K841B

AVTRON





MANUFACTURING, INC.

DESIGN/ENGINEERING

DRAWING NUMBER

SB2159

OUTLINE DRAWING



FOR APPLICATION ENGINEERING USAGE ONLY

- 5 - OUTBOARD POCKETS ARE FOR HOISTING LOADBANK. SPREADER BAR REQUIRED.
- 4 - MIN. 2FT CLEARANCE BETWEEN ENCLOSURE AND ANY OBSTRUCTION.
- 3 - CAPACITY: 1500 KVAR
- 2 - ALL DIMENSIONS ARE APPROX.
- 1 - WEIGHT: APPROX. 10,000 LBS.

NOTES:

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION OF AVTRON MFG. INC. AND MAY NOT BE DISCLOSED TO OTHERS OR USED FOR MANUFACTURING PURPOSES WITHOUT THE WRITTEN CONSENT OF AVTRON MFG.

REV	NO	DATE	BY	CHKD	CHNGD	REASON
CE 219	C	REV PER ECH	JFL/AUTO	10/12/05	JH/MSQ	FACTORY
CA 673	B	REV PER ECH	JFL/AUTO	6-3-98	REINVENT	FACTORY
CA 597	A	REV PER ECH	JFL/AUTO	3/29/98	REINVENT	FACTORY

REV	NO	DATE	BY	CHKD	CHNGD	REASON
CE 219	C	REV PER ECH	JFL/AUTO	10/12/05	JH/MSQ	FACTORY
CA 673	B	REV PER ECH	JFL/AUTO	6-3-98	REINVENT	FACTORY
CA 597	A	REV PER ECH	JFL/AUTO	3/29/98	REINVENT	FACTORY

REV	NO	DATE	BY	CHKD	CHNGD	REASON
CE 219	C	REV PER ECH	JFL/AUTO	10/12/05	JH/MSQ	FACTORY
CA 673	B	REV PER ECH	JFL/AUTO	6-3-98	REINVENT	FACTORY
CA 597	A	REV PER ECH	JFL/AUTO	3/29/98	REINVENT	FACTORY

REV	NO	DATE	BY	CHKD	CHNGD	REASON
CE 219	C	REV PER ECH	JFL/AUTO	10/12/05	JH/MSQ	FACTORY
CA 673	B	REV PER ECH	JFL/AUTO	6-3-98	REINVENT	FACTORY
CA 597	A	REV PER ECH	JFL/AUTO	3/29/98	REINVENT	FACTORY